

Supplement Facts

Serving Size 2 Scoops (93 g)
Servings Per Container Approx. 16

Amount Per Serving	% Daily Value
Calories 320	
Calories from Fat 10	
Total Fat 1 g	2%*
Saturated Fat 0.5 g	3%*
Trans Fat 0 g	†
Cholesterol 10 mg	3%*
Total Carbohydrate 57 g	19%*
Sugars (as pharmaceutical-grade dextrose) 28.5 g	†
Protein 20 g	40%*
Calcium 65 mg	7%
Iron 0.7 mg	4%
Sodium 60 mg	3%
PhenylGene™ 7.2 g	†
L-phenylalanine	†
Phenylalanine alpha-ketoglutarate	†
Phenylalanine ethyl ester HCl	†
Phenylalanine isovaleric acid	†
LeuciGene™ 7.2 g	†
L-leucine	†
Leucine methyl ester HCl	†
Leucine ethyl ester HCl	†
Leucine alpha-ketoglutarate	†
Leucine isovaleric acid	†
N-acetyl leucine	†
GeneTOR™ 5 g	†
Creatine monohydrate	†
Alanine methyl ester HCl	†
Alpha-ketoglutarate	†

Not a significant source of dietary fiber, vitamin A, and vitamin C.

*Percent Daily Values are based on a 2,000 calorie diet.

†Daily Value not established.

OTHER INGREDIENTS: MICROCRYSTALLINE CELLULOSE, DICALCIUM PHOSPHATE ANHYDROUS, STEARIC ACID, COATING (HYDROXYPROPYL METHYLCELLULOSE, POLYDEXTROSE, TITANIUM DIOXIDE, TALC, MALTODEXTRIN, FD&C BLUE NO. 2, MEDIUM CHAIN TRIGLYCERIDES, FD&C YELLOW NO. 6, FD&C RED NO. 40, SODIUM CARBOXYMETHYLCELLULOSE, DEXTROSE MONOHYDRATE [MAY CONTAIN CORN AND WHEAT], MICA, SOY LECITHIN), CROSCARMELLOSE SODIUM, SILICON DIOXIDE, MAGNESIUM STEARATE, SUCRALOSE.

Directions: Take 1 serving immediately after your workout. This bottle provides a 1-month supply if you work out 4 times per week.

Preparation: Mix 1 serving (2 scoops) of Anator-p70™ with 16 oz. of cold water in a shaker cup. For best results, use for at least 8 weeks.

Note: To maintain product freshness, store in a cool, dry place. This product is sold by weight; some settling may occur. Shake container before use.

WARNING: Not intended for use by persons under 18. Maintain an adequate state of hydration during use. Do not use if you are pregnant or nursing, or if you are afflicted with an inborn metabolic disease or other preexisting medical condition, particularly if you have diabetes or are prone to hyperglycemia or hypoglycemia, or if you are using any prescription or over-the-counter medication(s). **KEEP OUT OF REACH OF CHILDREN.**